

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2017-06-23 | Version: 3 | MSDS-5-501-5012-2017-06-FILL2P



FILLTITE HIGH PERFORMANCE SF 2-PART WOOD FILLER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:

FILLTITE 2 PART STYRENE FREE WOODFILLER ALL COLOURS

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use:

PC9b: Fillers, putties, plasters, modelling clay.

1.3 Details of the supplier of the safety data sheet

Company:

(See further below)

Telephone:

(See further below)

E-mail:

technical.support@tembediy.com

1.4 Emergency telephone number

01302 770234 (Office hours only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315; Flam. Liq. 3: H226

Most Important adverse effects: Causes skin irritation. Causes serious eye irritation. Flammable liquid and vapour.

2.2 Label elements

Tembe DIY & Building Products Limited

Delta Court, Sky Business Park

Robin Hood Airport

Doncaster, DN9 3GN, United Kingdom

Registered in England Number. 03025557

T. +44 1302 770234

F. +44 1302 623210

www.tembediy.com

www.hippoproducts.co.uk

www.filltite.co.uk

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



Hazard pictograms:



GHS07: Exclamation mark

HS02: Flame

Signal word:

Warning

Hazard statements:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H226: Flammable liquid and vapour.

Precautionary statements:

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+313: If skin irritation occurs: Get medical advice/attention.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3 Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

SECTION 3: Composition/ information on ingredients

3.2 Mixtures

Hazardous components:

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



VINYL TOLUENE

EINECS	CAS	PBT / WEL	CLP Classification	[%]
246-562-2	25013-15-4	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Acute Tox. 4: H332; Asp. Tox. 1: H304; Eye Irrit. 2: H319	10-30%

SECTION 4: First aid measures

4.1 Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor
Ingestion:	Wash out mouth with water. Consult a doctor.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact:	There may be irritation and redness at the site of contact.
---------------	-------------------------------------------------------------

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment:	Eye bathing equipment should be available on the premises.
--------------------------------	------------------------------------------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:	Suitable extinguishing media for the surrounding fire should be used.
-------------------------------	-----------------------------------------------------------------------

5.2 Special hazards arising from the substance or mixture

Exposure hazards:	In combustion emits toxic fumes.
-------------------	----------------------------------

5.3 Advice for firefighters

Special protective equipment for firefighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
------------------------------------------------	----------------------------------------------------------------------------------------------------------

SECTION 6: Accidental release measures

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions:

Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

6.2 Environmental precautions

Environmental precautions:

Do not discharge into drains or rivers.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up:

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4 Reference to other sections

Refer to section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling:

Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of dust in the air.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging:

Must only be kept in original packaging.

7.3 Specific end use(s)

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



Specific use(s):

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

No data available.

8.2 Exposure controls

Personal protective equipment

Engineering measures:

Ensure there is sufficient ventilation of the area.

Respiratory protection:

Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

Hand protection:

Protective gloves.

Eye protection:

Safety glasses. Ensure eye bath is to hand.

Skin protection:

Protective clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State:

Solid

Colour:

Various

Odour:

Characteristic odour

Evaporation rate:

Slow

Solubility in water:

Insoluble

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



Also soluble in:	Most organic solvents.
Viscosity:	Highly viscous
Boiling point/range°C:	168
Flash point°C:	48
Autoflammability°C:	575
VOC g/l:	240
Flammability limits %: lower:	1.1
Part.coeff. n-octanol/water:	2.96
Relative density:	1.85

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Conditions to avoid:

Heat

10.5 Incompatible materials

Materials to avoid:

Strong oxidising agents. Strong acids.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



10.6 Hazardous decomposition products

Hazardous decomposition products: In combustion emits toxic fumes.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	5000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage / irritation	OPT	Hazardous: calculated

Skin contact:

There may be irritation and redness at the site of contact.

Eye contact:

There may be irritation and redness. The eyes may water profusely.

Ingestion:

There may be soreness and redness of the mouth and throat.

Inhalation:

There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects:

Immediate effects can be expected after short-term exposure.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicity values:

Species	Test	Value	Units
Daphnia magna	48H EC50	1.3	mg/l

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Heavier than water.

12.5 Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Negligible ecotoxicity.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 08 04 09

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



SECTION 14: Transport information

- 14.1 UN number: UN3269
- 14.2 UN proper shipping name: POLYESTER RESIN KIT
- 14.3 Transport hazard class(es): 3
- 14.4 Packing group: III
- 14.5 Environmental hazards: NO
- 14.6 Special precautions for user
No special precautions.
Tunnel code: E
Transport category: 3
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Not applicable.
- 15.2 Chemical safety assessment
A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226:	Flammable liquid and vapour.
H304:	May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-03-16 | Version: 3.1 | MSDS-5-501-5012-2017-06-FILL2P



H315:	Causes skin irritation.
H319:	Causes serious eye irritation.
H332:	Harmful if inhaled.

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.