According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



FILLTITE DECORATORS CAULK 400ML ECO-PAC

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1	1	D. a d at	:
1.	. Τ	Product	identifier

Trade name:

Filltite Fill & Finish Decorators Caulk

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use:

Gap Filler

1.3 Details of the supplier of the safety data sheet Company:

(See further below)

Telephone:

(See further below)

E-mail:

technical.support@tembediy.com

1.4 Emergency telephone number

01302 770234 (Office hours only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Type of product:

Classification (REGULATION (EC) No 1272/2008)

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

Tembe DIY & Building Products Limited

Delta Court, Sky Business Park

Robin Hood Airport

Doncaster, DN9 3GN, United Kingdom

Registered in England Number. 03025557

T. +44 1302 770234
F. +44 1302 623210
www.tembediy.com
www.hippoproducts.co.uk
www.filltite.co.uk

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; reaction

mass of 5-chloro-2-methyl-2H- isothiazol-3-one and

2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic

reaction.

EUH210 - Safety data sheet available on request.

2.3 Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.

In case of skin contact : Wash with plenty of water/....

In case of eye contact : Rinse immediately with plenty of water. Seek

medical attention if ill effect or irritation

develops.

If swallowed : Rinse mouth.

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



4.2 Most important symptoms and effects, both acute and delayed

If inhaled : Not expected to present a significant inhalation

hazard under anticipated conditions of

normal use.

In case of skin contact : Not expected to present a significant skin

hazard under anticipated conditions of normal

use.

In case of eye contact : Direct contact with the eyes is likely slightly

irritating.

If swallowed : Not expected to present a significant ingestion

hazard under anticipated conditions of

normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : All extinguishing media allowed. Use

extinguishing media appropriate for surrounding

fire.

5.2 Special hazards arising from the substance or mixture

Fire hazard No fire hazard.

Explosion hazard No direct explosion hazard.

5.3 Advice for firefighters

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



Precautionary measures fire : Exercise caution when fighting any chemical

fire. Do not breathe fumes from fires or vapours from decomposition. Evacuate

unnecessary personnel.

Firefighting instructions : Cool down the containers exposed to heat with

a water spray.

Protection during firefighting : Do not attempt to take action without suitable

protective equipment.

Other information : Do not allow run-off from fire fighting to enter

drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate air ventilation. Spills of this

product present a serious slipping hazard.

6.1.1 For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2 For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Equip rescue crew with proper protection.

6.2 Environmental precautions

Environmental precautions : Prevent liquid from entering sewers,

watercourses, underground or low areas.

6.3 Methods and materials for containment and cleaning up

According to Regulation (EC) No. 1907/2006





For containment : Collect spillage.

Methods for cleaning up : Absorb spilled material with sand or earth.

Sweep or shovel spills into appropriate container

for disposal.

6.4 Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid all unnecessary exposure.

Handling temperature : 5 - 35 °C

Hygiene measures : Wash hands and other exposed areas with mild

soap and water before eating, drinking or

smoking and when leaving work.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a cool, well-ventilated place.

Maximum storage period : 12 months

Storage temperature : 5 - 25 °C

7.3 Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



8.1 Control parameters

No additional information available

8.2 Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Eyewash bottle with clean water.

Hand protection:

In case of repeated or prolonged contact wear gloves. Time of penetration is to be checked with the glove producer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,1		EN ISO 374

Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard	Standard
Safety glasses	Droplet	With side shields	EN 166	EN ISO 374

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Personal protective equipment symbol(s):

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



Other information:

Do no eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance Paste

Colour According to product specification.

Odour characteristic.

Odour Threshold No data available

Flash point No data available

Autoignition temperature No data available

Decomposition temperature No data available

Lower explosion limit (Vol-%) No data available

Upper explosion limit (Vol-%) No data available

Flammability No data available

Explosive properties No data available

Oxidizing properties No data available

pH No data available

Melting point /range /Freezing

point

No data available

Boiling point/boiling range No data available

Vapour pressure No data available

Density 1,7 g/ml

Water solubility soluble

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



Partition coefficient: noctanol/

water

No data available

Viscosity, dynamic No data available

Viscosity, kinematic No data available

Relative vapour density

No data available

Evaporation rate No data available

9.2 Other information

No additional information available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known.

10.2 Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reactions known.

10.4 Conditions to avoid

No additional information available

10.5 Incompatible materials

No additional information available

10.6 Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified

According to Regulation (EC) No. 1907/2006





Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Calcium/ Magnesium Carbonate (16389-88-1)

LD50 oral rat > 5000 mg/kg

1,2-Cyclohexanedicarboxylic acid, diisononyl ester, reaction products of hydrogenation of di-isononylphthalates (n- butenes based) (166412-78-8)

LD50 oral rat > 5000 mg/kg

LD50 dermal rat > 2000 mg/kg

Skin corrosion/irritation

Not classified

Serious eye damage/eye irritation

Not classified

Respiratory or skin sensitisation

Not classified

Germ cell mutagenicity

Not classified

Carcinogenicity

Not classified

Reproductive toxicity

Not classified

STOT - single exposure

Not classified

STOT - repeated exposure

Not classified

Aspiration toxicity

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



Not classified

SECTION 12: Ecological information

12.1 Toxicity

Hazardous to the aquatic environment, : Not classified

short-term (acute)

Hazardous to the aquatic environment,

long-term (chronic)

: Not classified

Styrene-acrylic copolymer

EC50 Daphnia 1

100 mg/l

1,2-Cyclohexanedicarboxylic acid, diisononyl ester, reaction products of hydrogenation of di-isononylphthalates (n- butenes based) (166412-78-8)

LC50 fish 1 > 100 mg/l (OECD 203 method)

> 100 mg/l (OECD 202 method) EC50 Daphnia 1

EC50 72h algae (1) 100 mg/l (OECD 201 method)

NOEC chronic crustacea ≥ 0,21 mg/l (OECD 211 method)

NOEC chronic algae > 100 mg/l

12.2 Persistence and degradability

1,2-Cyclohexanedicarboxylic acid, diisononyl ester, reaction products of hydrogenation of di-isononylphthalates (n- butenes based) (166412-78-8)

40 - 50 % 28 days Biodegradation

12.3 Bioaccumulative potential

1,2-Cyclohexanedicarboxylic acid, diisononyl ester, reaction products of hydrogenation of di-isononylphthalates (n- butenes based) (166412-78-8)

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



Bioconcentration factor (BCF REACH) 189

Partition coefficient n-octanol/water

(Log Pow)

10 at 25 °C

12.4 Mobility in soil

No additional information available

12.5 Results of PBT and vPvB assessment

No additional information available

12.6 Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official

regulations.

SECTION 14: Transport information

14.1 UN number Not applicable

14.2 UN proper shipping name Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group Not applicable

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on	Entry title or description
3(b)	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220- 239-6] (3:1);	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220- 239-6] (3:1);	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.2 Chemical safety assessment

No additional information available

According to Regulation (EC) No. 1907/2006

Revision Date: 2020-03-27 | Version: 2.0 | MSDS-5-502-5023-2020-03-DECCAULKECO



SECTION 16: Other information

Full text of H-Statements

EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.